

A4 Colour Multifunction Printer

MP C307SP
MP C307SPF
MP C407SPF

☑ Copier ☑ Printer ☑ Facsimile ☑ Scanner

RICOH
imagine. change.



MP C307SP

30
ppm Full Colour

MP C307SPF

30
ppm Full Colour

MP C407SPF

35
ppm Full Colour

Powerful solutions at your fingertips.

We know you demand only the best quality in everything you do. And at Ricoh, we've designed these A4 colour multifunction products to give you compact yet powerful solutions to improve workflow. Control job specific applications and get quick access to the functions you need most with our intuitive, touch-screen, Smart Operation Panel. All models come complete with a powerful Intel processor and high-speed Single Pass Document Feeder, keeping your office performance and productivity high.

- Powerful and solution-ready thanks to new Intel processor
- Easy to use and operate with intuitive 10.1 inch Smart Operation Panel
- Lower your company's expenditure with competitive TCO and low printing costs
- High Speed SPDF capable of handling high demand scan jobs
- Print from any device, anywhere with Smart Device connectivity via AirPrint, Mopria and Ricoh applications



Designed to enhance your performance.

Compact solution. With hidden depths.

Each MFP's compact nature means you can position them almost anywhere in an office or branch environment. And there's always a place for these simple to set-up and easy-to-use, yet advanced devices. The powerful Intel processor gives the devices the capability to run enhanced software faster so you can start using them quickly and make the most out of their intuitive interface.



Reduce costs in a powerful way.

Offering a low Total Cost of Ownership combined with a level of output that will help you reach your goals, you get low power consumption and a quick warm-up from sleep mode. This leaves no time wasted waiting for them to start. Each model is low maintenance to save you even more on costs. In fact, their typical energy consumption is the best in their class.

Make every connection.

With today's world being more connected than ever, this range of models enable you to quickly and securely send documents to print from your mobile smart device. You can even share files with address book contacts. The connection options support Windows, Mac, Linux, iOS and Android and you can easily connect without the need to first register your device or join the network.

The technology to do even more.

These devices help you work better and more flexibly. And of course, they give you everything you would expect from an A4 colour MFP. Jobs are completed more quickly with fast processing and the easy operation our Smart Operation Panel offers. So they're smarter, quicker and more intuitive. Which all add up to tangible improvements to your productivity and output.



MP C307SP / MP C307SPF / MP C407SPF

MAIN SPECIFICATIONS

GENERAL

Warm-up time:	19 seconds
First output speed:	Full colour: 8.6/8.6/7.6 seconds B/W: 7.2/7.2/6.2 seconds
Continuous output speed:	Full colour: 30/30/35 pages per minute B/W: 30/30/40 pages per minute
Memory:	Standard: 2 GB
HDD:	320 GB
Dimensions (W x D x H):	498 x 585 x 510 mm
Weight:	46 kg
Power source:	220 - 240 V, 50/60 Hz

COPIER

Copying process:	Dry electrostatic transfer system with dual component development
Multiple copying:	Up to 99 copies
Resolution:	600 x 600 dpi
Zoom:	From 25% to 400% in 1% steps

PRINTER

Printer language:	Standard: PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation) Option: Genuine Adobe® PostScript®3™, PictBridge, XPS direct
Print resolution:	Maximum: 1,200 x 1,200 dpi
Interface:	Standard: SD slot, USB Host I/F, Wireless LAN (IEEE 802.11b/g/n), Bluetooth, Ethernet 10 base-T/100 base-TX/1000 base-T, NFC Tag Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g/n), Additional NIC (2nd port), USB Server for Second Network Interface, Ethernet Print only RJ-45 network port
Mobile printing capability:	Apple AirPrint™, Mopria, Ricoh Smart Device Print & Scan, Ricoh Smart Device Connector
Network protocol:	TCP/IP (IP v4, IP v6)
Windows® environments:	Windows® 7, Windows® 8, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2, Windows® Server 2016
Mac OS environments:	Macintosh OS X v10.2 or later
UNIX environments:	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX
SAP® R/3® environments:	SAP® R/3 3.x® or later
Other supported environments:	NDPS Gateway, AS/400® using OS/400 Host Print Transform

SCANNER

Scanning speed:	SPDF: Max. 40 (simplex)/80 (duplex) originals per minute
Resolution:	100 - 600 dpi Default: 200 dpi
Original size:	A4
Bundled drivers:	Network TWAIN
Scan to:	E-mail, Folder, USB, SD card, SMB, FTP, URL, PDF/A, Digitally signed PDF, Searchable PDF (Option)

FAX

Circuit (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	PSTN, PBX
Compatibility (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	ITU-T (CCITT) G3
Resolution (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7 line/mm, 200 x 200 dpi
Compression method (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	MH, MR, MMR, JBIG
Transmission speed (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	2 second(s) (200 x 100 dpi, JBIG), 3 second(s) (200 x 100 dpi, MMR)
Modem speed (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	Maximum: 33.6 Kbps
Scanning speed (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	2.4 second(s)
Memory capacity (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	Standard: 4 MB
Memory backup (MP C307SP / MP C307SPF / MP C407SPF, MP C307SP / MP C307SPF / MP C407SPF):	Yes: 1 hour

PAPER HANDLING

Recommended paper size:	A4, A5, A6, B4, B5, B6
Paper input capacity:	Maximum: 1,350 sheets
Paper output capacity:	Maximum: 200 sheets
Paper weight:	Paper tray(s): 60 - 163 g/m ² Bypass tray: 60 - 220 g/m ² - g/m ²

ECOLOGY

Power consumption:	Maximum: 1,200 W Ready mode: 53.1/53.1/53.8 W Sleep mode: Less than 0.83 W TEC (Typical Electricity Consumption): 1.1/1.1/1.6 kWh
--------------------	--

OPTIONS

500-sheet paper tray, One-bin tray, Low cabinet, Medium cabinet, High cabinet, Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g/n), USB Server for Second Network Interface, Pictbridge, PostScript3, Counter interface, File format converter, Data Overwrite Security Unit (Certified version), Fax Connection Unit, Fax option, Unicode Font Package for SAP, OCR Unit, XPS direct print, Enhanced security HDD, NFC Card Reader, Extended USB board, Multi-feed detection kit

CONSUMABLES

Toner capacity:	Black: 17,000/17,000/17,500 prints Cyan: 6,000/6,000/8,000 prints Magenta: 6,000/6,000/8,000 prints Yellow: 6,000/6,000/8,000 prints
-----------------	---

Consumable yield figures are based on 2 p/5% coverage on A4



RICOH @Remote



RICOH
imagine. change.

www.ricoh-europe.com

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.